



DECORATIVE PAINTS

Application Guidelines



PRODUCT BENEFITS



| PRODUCT | FEATURES | BENEFITS |
|---|---|--|
| ALL FINNTALC GRADES | Flotated talcs Chlorite-free High lamellarity | <ul style="list-style-type: none"> ▶ Improved scrub resistance according to ISO 11998 ▶ Good barrier properties, high water repellency, good surface resistance, easy to clean ▶ Extremely consistent quality, ideal for tinting system base paint ▶ Support of pseudoplastic/thixotropic rheology ▶ Anti-settling effect, extended shelf-life ▶ Anti-sagging effect ▶ High opacity ▶ Good mud-cracking resistance ▶ Surface adhesion is promoted |
| ALL FINNTALC SL GRADES ALL PLUSTALC GRADES MICROTALC IT EXTRA | High purity | <ul style="list-style-type: none"> ▶ High whiteness |
| FINNTALC M03 FINNTALC M05N/M05SL MICROTALC IT EXTRA | Fine particle size High surface area | <ul style="list-style-type: none"> ▶ Matting of low PVC paints ▶ TiO₂ spacing ▶ Opacity is promoted |
| FINNTALC M12/M15/M15SL FINNTALC M20SL PLUSTALC H15 | “Centred” particle size distribution | <ul style="list-style-type: none"> ▶ Balanced properties: opacity, matting, wet scrub resistance and mud cracking ▶ Good barrier properties, good outdoor durability ▶ Hydrophobic surface, easy to clean |
| FINNTALC M15E FINNTALC M10E | Sharp top cut | <ul style="list-style-type: none"> ▶ No blocking of sieves, filters or nozzles |
| FINNTALC M30/M30SL FINNTALC M40/M40SL PLUSTALC H30 | High platyness | <ul style="list-style-type: none"> ▶ Matting of high PVC paints ▶ Improved mud-cracking resistance ▶ Good surface resistance and outdoor durability |
| FINNTALC M50 PLUSTALC H50 PLUSTALC H80 | Coarse particle size Low surface area | <ul style="list-style-type: none"> ▶ Good filling of high-build coatings and plasters ▶ Good outdoor durability and crack-free coatings ▶ Dead-matt coatings |

CROSS-REFERENCE TABLE – DECORATIVE PAINTS

| APPLICATIONS | FINNTALC | | | | | | | | | | | | |
|-----------------------------------|----------|------|-------|------|-----|--------------|-------|-------|-----|-------|-----|-------|-----|
| | M03 | M05N | M05SL | M10E | M12 | M15/ M15E | M15SL | M20SL | M30 | M30SL | M40 | M40SL | M50 |
| Matt interior and exterior paints | | | | | ● | ● | ● | ● | ● | ● | | | |
| Semi-gloss and silk paints | | ● | ● | ● | ● | ● | ● | | | | | | |
| Outdoor wood coatings | | | ● | ● | ● | ● | ● | ● | ● | ● | | | |
| Outdoor masonry coatings | | | | | ● | ● | ● | ● | | | ● | | |
| Wood primers | | ● | | ● | ● | ● | | | ● | | | | |
| White topcoats | | | ● | | | | ● | ● | | | | | |
| TiO ₂ spacing | ● | | ● | | | | | | | | | | |
| Textured finishes | | | | | | | | | ● | ● | ● | ● | ● |
| Plasters inside and outside | | | | | | | | | | | | ● | ● |
| Varnish and stains | ● | ● | ● | ● | | | | | | | | | |

| APPLICATIONS | PLUSTALC | | | | | | MICROTALC |
|-----------------------------------|----------|-----|-----|-----|-----|-----|-----------|
| | H05 | H10 | H15 | H30 | H50 | H80 | IT EXTRA |
| Matt interior and exterior paints | | ● | ● | ● | | | |
| Semi-gloss and silk paints | ● | ● | ● | | | | ● |
| Outdoor wood coatings | | ● | ● | ● | | | |
| Outdoor masonry coatings | | | ● | ● | | | |
| Wood primers | ● | ● | ● | ● | | | |
| White topcoats | ● | ● | ● | ● | | | |
| TiO ₂ spacing | ● | | | | | | ● |
| Textured finishes | | | | ● | ● | ● | |
| Plasters inside and outside | | | | | ● | ● | |
| Varnish and stains | ● | ● | | | | | ● |

● Recommended ● Suitable

MONDO MINERALS B.V.
Kajuitweg 8 • 1041 AR Amsterdam • The Netherlands • E-mail: info@mondominerals.com
www.mondominerals.com

The information provided herein is based on technical data that Mondo Minerals believes to be reliable, however Mondo Minerals makes no representation or warranty as to the completeness or accuracy thereof and Mondo Minerals assumes no liability resulting from its use for any claims, losses, or damages of any third party. Recipients using this information must exercise their own judgement as to the appropriateness of its use, and it is the user's responsibility to assess the materials suitability (including safety) for a particular purpose prior to such use.